



Estimated Number and Proportion* of AIDS Cases among Female Adults and Adolescents 1985–2006—United States and Dependent Areas



Note. Data have been adjusted for reporting delays.
 *Proportion of all cases that were diagnosed among females.



Diagnosis Rates of HIV/AIDS for Female Adults and Adolescents, 2006—33 States



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 33 states with confidential named-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays.



Estimated Number of HIV/AIDS Cases and Rates for Female Adults and Adolescents, by Race/Ethnicity 2006—33 States

<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Rate</u> (cases per 100,000 population)
White, not Hispanic	1,664	2.9
Black, not Hispanic	6,033	56.2
Hispanic	1,400	15.1
Asian/Pacific Islander	79	3.2
American Indian/ Alaska Native	35	4.6
<u>Total*</u>	<u>9,252</u>	<u>11.5</u>

Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis.

Data from 33 states with confidential name-based HIV infection reporting since at least 2003.

Data have been adjusted for reporting delays.

* Includes 41 female adults and adolescents of unknown race or multiple races.

